

Transforms



DRAFT; Incomplete

On This Page

- [fluid.transforms.arrayToObject](#)
- [fluid.transforms.arrayToSetMembership](#)
- [fluid.transforms.arrayValue](#)
- [fluid.transforms.binaryOp](#)
- [fluid.transforms.binaryLookup.*](#)
- [fluid.transforms.condition](#)
- [fluid.transforms.count](#)
- [fluid.transforms.linearScale](#)
- [fluid.transforms.literalValue](#)
- [fluid.transforms.objectToArray](#)
- [fluid.transforms.round](#)
- [fluid.transforms.setMembershipToArray](#)
- [fluid.transforms.value](#)
- [fluid.transforms.value.invert](#)
- [fluid.transforms.valueMapper](#)

The Framework currently several transforms that can be used as part of a model transformation, as described below.

fluid.transforms.arrayToObject

Transforms an array into a JavaScript object.

[back to top](#)

fluid.transforms.arrayToSetMembership

[back to top](#)

fluid.transforms.arrayValue

Transforms a value into an array. If the value is already an array, the expander will have no effect.

For example:

Start:

```
var source = {
  cat: "meow",
  sheep: [
    "baaa",
    "wooooool"
  ],
  ...
}
```

>>

Rule to convert to arrays:

```
var rules = {
  cat: {
    transform: {
      type: "fluid.transforms.arrayValue",
      inputPath "cat"
    }
  },
  sheep: {
    transform: {
      type: "fluid.transforms.arrayValue",
      inputPath "sheep"
    }
  }
  ....
}
```

>>

Result:

```
{
  cat: ["meow"],
  sheep: [
    "baaa",
    "woooooo1"
  ],
  ...
}
```

Note that the value of `cat` is now an array, but the value of `sheep` is unaffected.

[back to top](#)

fluid.transforms.binaryOp

[back to top](#)

fluid.transforms.binaryLookup.*

[back to top](#)

fluid.transforms.condition

[back to top](#)

fluid.transforms.count

[back to top](#)

fluid.transforms.linearScale

[back to top](#)

fluid.transforms.literalValue

[back to top](#)

fluid.transforms.objectToArray

[back to top](#)

fluid.transforms.round

[back to top](#)

fluid.transforms.setMembershipToArray

[back to top](#)

fluid.transforms.value

This extracts and/or the value of a given path, and can be used for the following purposes:

To rename a property:

Start:

```
var source = {
  cat: "meow",
  ...
}
```

>>

Rule to rename "cat" to "feline":

```
var rules = {
  feline: {
    transform: {
      type: "fluid.transforms.value",
      // specify only the path to transform
      inputPath: "cat"
    }
  },
  ....
}
```

>>

Result:

```
{
  feline: "meow",
  ...
}
```

To set a default value:

Start:

```
var source = {
  gerbil: undefined,
  // or if "gerbil" doesn't exist
  ...
}
```

>>
Rule to set default value of "gerbil":

```
var rules = {
  gerbil: {
    transform: {
      type: "fluid.transforms.value",
      // specify path and default value
      inputPath "gerbil",
      value: "squeek"
    }
  },
  ....
}
```

>>
Result:

```
{
  gerbil: "squeek",
  ...
}
```

Note that if "gerbil" has a value initially, it will be unaffected.

To specify a literal value:

Start:

```
var source = {
  // no mention of kangaroos
  ...
}
```

>>
Rule to set a value for "kangaroo":

```
var rules = {
  kangaroo: {
    transform: {
      type: "fluid.transforms.value",
      // specify only a value
      value: "boingg"
    }
  },
  ....
}
```

>>
Result:

```
{
  kangaroo: "boingg",
  ...
}
```

To change the structure/nesting:

Start:

```
var source = {
  goat: false,
  sheep: [
    "baaa",
    "woooooool"
  ],
  ...
}
```

>>

Rule to change the nesting:

```
var rules = {
  "farm.goat": {
    transform: {
      type: "fluid.transforms.value",
      inputPath "goat"
    }
  },
  "farm.sheep": {
    transform: {
      type: "fluid.transforms.value",
      inputPath "sheep"
    }
  }
  ....
}
```

>>

Result:

```
{
  farm: {
    goat: false,
    sheep: [
      "baaa",
      "woooooool"
    ]
  },
  ...
}
```

[back to top](#)

fluid.transforms.value.invert

[back to top](#)

fluid.transforms.valueMapper

[back to top](#)