

Tutorial - Directory 1.0 Migration

Overview

Fluid Infusion trunk was restructured to make it easier to find, relate, and distinguish our code.



- Components have all be moved into a "**components**" directory. This directory is then subdivided into individual directories for each of the specific components.
- Framework code has been moved inside the "**framework**" directory. This directory is subdivided into core, fss, and renderer.
- The lib directory is home to various 3rd party software that we depend on, e.g. jQuery.
- A new pattern that has emerged, is to have individual directories for css, js, images, and etc. For example, a component will contain these sub-directories, as opposed to grouping all css, js together in a single higher level directory.

Below you will find images to help map your 0.8 directory to the new 1.0 structure. While this is not a complete translation or the directory structure, it will point out key areas of interest.

On this Page

- [Overview](#)
- [Structure](#)
 - [Components](#)
 - [Framework](#)
 - [Lib](#)

Structure


1.0 to 0.8	
Infusion 1.0 Directory Structure  <pre>fluid-infusion [fluid/infusion/trunk] ├── build-scripts ├── src │ ├── webapp │ │ ├── components │ │ ├── framework │ │ ├── integration-demos │ │ ├── lib │ │ ├── standalone-demos │ │ ├── tests │ │ └── WEB-INF │ ├── LICENSE.txt │ ├── maven.xml │ ├── pom.xml │ ├── project.properties │ ├── project.xml │ └── README.txt</pre>	Infusion 0.8 Directory Structure  <pre>fluid-components [fluid/infusion/tags/fluid-0.8] ├── build-scripts ├── src │ ├── webapp │ │ ├── fluid-components │ │ ├── sample-code │ │ ├── tests │ │ └── WEB-INF │ ├── LICENSE.txt │ ├── maven.xml │ ├── pom.xml │ ├── project.properties │ ├── project.xml │ └── README.txt</pre>

Components

Inline Edit	Pager	Reorderer
-----------------------------	-----------------------	---------------------------



Framework



Lib

jQuery	JSON	SWFUpload
--------	------	-----------

